

MATERIAL SAFETY DATA SHEET

ALOE VERA 1:1 WITH PULP 3x5 MM – CONVENTIONAL

PRODUCT CODE APJ3X5
 ISSUEDATE: 01/01/2025 REVISION DATE: 01/03/2025

In accordance with Regulation (EC) No 1907/2006 (REACH), Art. 31 and subsequent updates

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Trade Name	Aloe Vera 1:1 with Pulp 3x5 Mm – Conventional
Synonyms	Conventional Aloe Vera Gel 1X with Pulp
EC Number	-
CAS Number	Multiple CAS numbers (see Technical Data Sheet)
REACH Registration Number	-
Relevant Identified Uses	Ingredients for food, cosmetics, and nutraceuticals
Uses Advised Against	-
Manufacturer/Supplier	Sorelle Indústria e Comércio LTDA
Address	Av. 24 De Outubro, 1625 Entrada, Bom Retiro, SC, 88680-000
Phone	-
Email	vendas@sorellebrasil.com
Emergency Number	74 3532-2342

Classification of the Substance or Mixture

SECTION 2: Hazards identification

Classification of the Substance or Mixture	No information. The mixture does not contain substances presenting a health or environmental hazard within the meaning of Regulation (EC) No 1272/2008. For the full text of Hazard- and EU Hazard statements, see SECTION 16.
Hazard Pictograms	No information. The mixture does not contain substances presenting a health or environmental hazard within the meaning of Regulation (EC) No 1272/2008.
Signal Word	No information. The mixture does not contain substances presenting a health or environmental hazard within the meaning of Regulation (EC) No 1272/2008.



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

Precautionary Statements

No information. The mixture does not contain substances presenting a health or environmental hazard within the meaning of Regulation (EC) No 1272/2008.

Adverse Physicochemical Effects

Information not available.

Adverse Human Health Effects and Symptoms

Information not available. When used properly, the product is safe and tolerable in accordance with the legal provisions (Article 3 of the EC Cosmetics Regulation). Any other hazard information applies to inadvertent misuse or accidents.

Adverse Environmental Effects

Information is not available. When used properly, the product is safe and tolerable in accordance with the legal provisions (Article 3 of the EC Cosmetics Regulation). Any other hazard information applies to inadvertent misuse or accidents.

Other Adverse Hazards

Based on the available data, the product does not contain PBT or vPvB substances in concentrations $\geq 0.1\%$.

Based on the available data, no substances have been identified as endocrine disruptors in accordance with Regulation (EU) 2017/2100 and Regulation (EU) 2018/605.

SECTION 3: Composition and information on ingredients

The product does not contain substances classified as hazardous to health or the environment under the provisions of Regulation (EU) 1272/2008 (CLP) (and subsequent amendments and adaptations) in quantities that would require declaration.

Citric Acid	Concentration in the mixture: $1.5\% \leq x < 2\%$ CAS Number: 77-92-9 EC Number: 201-069-1 INDEX Number: (not specified) REACH Registration: 01-2119457026-42 Hazard Classification: ☐  Eye Irrit. 2 (H319) → Causes eye irritation, Category 2 ☐ STOT SE3 (H335) → May cause respiratory irritation (Specific Target Organ Toxicity - Single Exposure, Category 3)
Potassium Sorbate	Concentration in the mixture: $0,3\% \leq x < 0,35$



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

	CASNumber: 24634-61-5 ECNumber: 246-376-1 INDEX Number: 019-003-00-3 REACHRegistration: (not specified) Hazard Classification: ☐  Eye Irrit. 2 (H319) → Causes eye irritation, Category 2 ☐  Skin Irrit. 2 (H315) → Causes skin irritation, Category 2
Sodium Benzoate	Concentration in the mixture: $0,3 \leq x < 0,35$ CASNumber: 532-32-1 ECNumber: 208-534-8 INDEX Number: (not specified) REACHRegistration: 01-2119460683-35 Hazard Classification: ☐  Eye Irrit. 2 (H319) → Causes eye irritation, Category 2

SECTION4: First Aid Measures

General Notes

When contact with the product, use or handling, causes symptoms requiring prompt aid, follow the directives below for the specific exposure route.

Following Inhalation

In case of inhalation, the affected person should be moved into fresh air and kept still. If breathing is difficult, consult a doctor.

Following Skin Contact

Remove contaminated, saturated clothing immediately. Wash thoroughly the body (shower or bath). When in doubt or if symptoms are observed, get medical advice.

Following Eye Contact

Remove contact lenses. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following Ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do not induce vomiting when the affected person is unconscious.



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

of the First Aider

No particular information.

Symptoms

See Section 11 (Toxicological information)

Effects

See Section 11 (Toxicological information)

Notes for the Doctor

Information is not available.

Special Treatment

Information is not available.

SECTION 5: Firefighting Measures

Suitable Extinguishing Media

Carbon dioxide, foam, powder, water mist.

Unsuitable Extinguishing Media

No particular media.

Hazardous Combustion Products

However, avoid breathing combustion products.

Advice for Firefighters

Cool containers with water to avoid possible decomposition of the product and formation of potential hazardous substances. Wear full protection equipment available. When possible, collect extinguishing water and avoid contamination of surface water or drains.

Equipment for Firefighters

Standard firefighting gear, such as a self-contained open circuit compressed air breathing apparatus (EN 137), flame-resistant suit (EN 469), flame-resistant gloves (EN 659), and firefighter boots (HO A29 or A30).

SECTION 6: Accidental Release Measures

For non-emergency personnel

Wear suitable protection equipment (see also Section 8 of the SDS) to avoid inhalation, contact with the skin and eyes and contamination of clothes.

For Emergency Responders

Wear suitable protection equipment (see also Section 8 of the SDS) to avoid inhalation, contact with the skin and eyes and contamination of clothes.

Environmental Precautions

Do not allow them to enter surface water or drains.

For Containment

Collect products with mechanical devices (if product is flammable use only antistatically



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

For Cleaning Up	equipped spark-free tools) and store in suitable containers for disposal. Check compatibility of the containers to collect product (see also Section 10 of the SDS).
Other Information	Use inert absorbent material (sand, vermiculite, diatomaceous earth, etc.) to soak up leaked product. Collect most of the remaining material and store it in suitable containers for disposal. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions of Section 13.
Referenceto other sections	No particular information Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

SECTION7:Handling and Storage

General protective measures	Handle products after consultation of all other sections of this SDS. Avoid product dispersion. When using it do not eat, drink, smoke, or sniff. Avoid improper contact with skin and eyes and inhalation.
Measures To Prevent Fire	If the product is flammable provide adequate earthing of containers, equipment, pumps and ventilation facilities.
Measures To Prevent Aerosol and Dust Generation	No particular information
Measures To Protect the Environment	Avoid product dispersion, keep containers well closed.
Advice On General Occupational Hygiene	When using it, do not eat, drink, smoke, or sniff. Remove clothes when contaminated. Wash hands before breaks and after work.
Technical Measures and Storage Conditions	Keep the product in clearly labeled containers. Store containers away from any incompatible materials, referring to Section 10 for details.
Packaging Materials	Store in original containers; replace the closing



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

Requirements For Storage Rooms and Vessels

cap. If the product is moved to other containers, label them the same way as the original packages.

Recommendations

No particular information

Industrial Sector Specific Solutions

No particular information

SECTION 8: Exposure Controls/Personal Protection

Exposure Control

Since the use of appropriate technical measures should always take priority over personal protective equipment, ensure good workplace ventilation through effective local exhaust.

Biological limit values

Information not available

Exposure limits at intended use

Information not available

DNEL/PNEC-values

Citric Acid:

- Freshwater reference value: 440 mg/L
- Sediment reference value in freshwater: 34.6 mg/kg
- Sediment reference value in seawater: 3.46 mg/kg
- Soil compartment reference value: 33.1 mg/kg

Potassium Sorbate:

- Freshwater reference value: 1 mg/L
- Marine water reference value: 0.1 mg/L
- Freshwater sediment reference value: 3.6 mg/kg
- Marine water sediment reference value: 0.36 mg/kg
- Intermittent release into water: 4.8 mg/L
- STP microorganisms reference value: 10 mg/L
- Soil compartment reference value: 1.67 mg/kg

For consumers:

- Oral exposure: 2 mg/kg bw/d (systemic, chronic)
- Inhalation exposure: 52.17 mg/m³ (systemic, acute)
- Dermal exposure: 20 mg/kg bw/d (systemic, acute)

For workers:

- Oral exposure: Not applicable
- Inhalation exposure: 17.63 mg/m³ (systemic, chronic)



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

☐Dermal exposure: 40 mg/kg bw/d (systemic, chronic)

Sodium Benzoate:

☐Freshwater reference value: 0.13 mg/L

☐Marine water reference value: 0.013 mg/L

☐Freshwater sediment reference value: 1.76 mg/kg/d

☐Marine water sediment reference value: 0.176 mg/kg/d

☐Intermittent release into water: 0.305 mg/L

☐STP microorganisms reference value: 10 mg/L

☐Food chain (secondary poisoning) reference value: 300 mg/kg

☐Soil compartment reference value: 0.276 mg/kg

For consumers:

☐Oral exposure: 16.6 mg/kg bw/d (systemic, chronic)

☐Inhalation exposure: 0.06 mg/m³ (acute, systemic), 1.5 mg/m³ (systemic, chronic)

☐Dermal exposure: 31.25 mg/kg bw/d (systemic, acute), 62.5 mg/kg bw/d (systemic, chronic)

For workers:

☐Oral exposure: Not applicable

☐Inhalation exposure: 0.1 mg/m³ (local, acute), 3 mg/m³ (systemic, chronic)

☐Dermal exposure: Not available

Risk management measures according to used control banding approach

It is recommended to use a P-type filtering face mask, with the class (1, 2, or 3) and actual necessity to be determined based on the results of the risk assessment (ref. EN 149 standard).

Environmental Exposure Controls

Emissions from production processes, including those from ventilation equipment, should be controlled to ensure compliance with environmental protection regulations.

Hand protection

Protect hands with Category III work gloves (ref. EN 374 standard). When selecting the final glove material, consider compatibility, degradation, breakthrough time, and permeation. In the case of preparations, the resistance of work gloves to chemical agents must be tested before use, as is not always predictable. Gloves have a wear time that depends on duration and usage conditions.

Skin protection

Wear long-sleeved work clothing and Category I professional safety footwear (ref. Regulation



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

2016/425 and ENISO 20344 standard). Wash with water and soap after removing protective clothing.

Eye protection

It is recommended to wear sealed protective goggles (ref. EN 166 standard).

Respiratory protection

If the threshold limit value (e.g., TLV-TWA) of the substance or any of the substances in the product is exceeded, it is recommended to wear a mask with a type A filter, with the class (1, 2, or 3) chosen according to the usage concentration limit (ref. EN 14387 standard). If gases or vapors of different nature and/or gases or vapors with particles (aerosols, fumes, mists, etc.) are present, combined filters should be used. The use of respiratory protective equipment is necessary if the technical measures adopted are not sufficient to limit worker exposure to the considered threshold values. The protection provided by masks is still limited. If the substance is odorless or its odor threshold is higher than its TLV-TWA and in case of emergency, wear a self-contained open-circuit compressed air breathing apparatus (ref. EN 137 standard) or an external air supply respirator (ref. EN 138 standard). For the correct selection of respiratory protective equipment, refer to the EN 529 standard.

SECTION 9: Physical and Chemical Properties

Appearance	Clear solution with visible pulp
Odor	Characteristics of Aloe Vera
pH	3.5 – 4.7
Aloin (A YB)	< 1 ppm
Melting point/freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Upper flammability	Not available
Lower flammability	Not available
Upper explosivity	Not available
Lower explosivity	Not available



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

Vapor pressure	Not available
Vapor density	Not available
Relative density	Not available
Solubility	Soluble in water/Insoluble in Organic solvents
Partition coefficient	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidizing properties	Not available

SECTION 10: Stability and Reactivity

Reactivity

No reaction hazards with other chemicals at normal use and storage conditions.

Chemical Stability

The product is stable under normal use and storage conditions.

Sodium Benzoate

- Under normal conditions of use and storage, hazardous reactions are not expected.
- May form explosive mixtures with air.

Conditions to avoid

- No specific conditions. However, follow standard precautions when handling chemicals.

Possibility Of Hazardous Reactions

Citric Acid

- Avoid dust formation.

Potassium Sorbate

- Avoid light and heat.

Sodium Benzoate

- Avoid overheating.
- Avoid exposure to heat, open flames, and electrostatic discharges.

Conditions To Avoid

Avoid the formation of dust

Incompatible Materials

Citric Acid

- Strong bases
- Oxidizing agents

Potassium Sorbate



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

- ☐ Strong oxidizers
- ☐ Aluminum, zinc, tin

Sodium Benzoate

- ☐ Strong reducing and oxidizing agents
- ☐ Strong bases and acids
- ☐ High-temperature materials

Citric Acid

- ☐ In case of fire or high temperatures, hazardous toxic vapors may form.

Hazardous Decomposition Products

Potassium Sorbate

- ☐ In case of overheating, toxic vapors containing CO and CO₂ may develop.

Sodium Benzoate

- ☐ May develop carbon oxides.

SECTION 11: Toxicological Information

Acute toxicity

Citric Acid:

- ☐ LD50 (Dermal): >2000 mg/kg (rat).
- ☐ LD50 (Oral): 11700 mg/kg (rat), OECD 401.

Potassium Sorbate

- ☐ LD50 (Dermal): 2000 mg/kg (rabbit).
- ☐ LD50 (Oral): 10500 mg/kg (rat).

Sodium Benzoate

- ☐ LD50 (Oral): >2000 mg/kg (rat).

Skin corrosion/irritation

Citric Acid

- ☐ Species: Rabbit.
- ☐ Result: No skin irritation.
- ☐ Method: OECD Test Guideline 404.
- ☐ Note: May cause skin irritation in predisposed individuals.

Serious eye damage/irritation

Citric Acid

- ☐ Species: Rabbit.
- ☐ Result: eye irritation.
- ☐ Method: OECD Test Guideline 405.

Respiratory or skin sensitization

Does not meet the classification criteria for this hazard class.

Germ cell mutagenicity

Citric Acid

In vitro Genotoxicity:

- ☐ Test type: Reverse mutation assay.
- ☐ Test system: Salmonella typhimurium.



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

☐Concentration: 0 - 5000µg/plate.
☐Method: Mutagenicity(Salmonellatyphimurium–Ames test).
☐Result: Negative.
☐Test type: Micronucleustest.
☐Test system: Humanlymphocytes.
☐Concentration: 50,100,200,3000µg/ml.
☐Method: Mutagenicity(mammalian: invitrocytogenetic assay).
☐Result: Positive.

In vivo Genotoxicity:

☐Test type: Chromosomeaberrationtest.
☐Species: Rat.
☐Cell type: Bonemarrow.
☐Application method: Oral.
☐Doses: 0.3mg/kgbw.
☐Method: OECDTestGuideline475.
☐Result: Negative.

Carcinogenicity

Potassium Sorbate

☐NOAEL: 1400mg/kg bw/day, oral. Negative.

Sodium Benzoate

☐NOAEL (rat): 500mg/kg bw/day.

Reproductive toxicity

Potassium Sorbate

☐Fertility:

○NOAEL: 1000mg/kg bw/day, oral.
Negative.

☐Developmental Toxicity:

○NOAEL: 300mg/kg bw/day, oral.
Negative.

Sodium Benzoate

☐NOAEL (rat): 500mg/kg bw/day.

Summary of evaluation of the CMRproperties

Does not meet the classificationcriteria for this hazard class.

STOT-single exposure

Citric Acid

☐The substanceor mixture is classifiedasa specifictarget organ toxicant (single exposure), category 3, causing respiratory tract irritation.
☐Target Organs: Respiratorysystem.
☐Route of Exposure: Inhalation.

STOT-repeated exposure

Citric Acid

☐Repeated DoseToxicity:
☐Species: Rat.
☐NOAEL: 4000mg/kg.



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

- LOAEL: 8000mg/kg.
- Application method: Oral.
- Exposure duration: 10 days.
- Doses: 2, 4, 8, 16 g/kg bw/day.

Aspiration hazard

Does not meet the classification criteria for this hazard class.

Endocrine disrupting properties

Does not meet the classification criteria for this hazard class.

Other information

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with effects on human health under evaluation.

SECTION 12: Ecological Information

Use products following good working practice. Take measures to prevent the release of the substance or mixture to the environment, such as avoiding spills or keeping away from drains.

Acute (short-term) toxicity

Potassium Sorbate

- LC50 - Fish: 500 mg/L (96h)
- EC50 - Crustaceans: 480 mg/L (48h)
- EC50 - Algae/ Aquatic plants: 982 mg/L (72h)

Sodium Benzoate

- LC50 - Fish: > 100 mg/L (96h) (*Pimephales promelas*)
- EC50 - Crustaceans: > 100 mg/L (48h) (*Daphnia magna*)
- EC50 - Algae/ Aquatic plants: > 30.5 mg/L (72h) (*Pseudokirchnerella subcapitata*)

Chronic (long-term) toxicity

Information not available

Abiotic degradation

Information not available

Physical and photo-chemical elimination

Information not available

Biodegradation

Potassium Sorbate: Biodegradable.
Sodium Benzoate: Readily degradable, water solubility > 10000 mg/L.

Partition coefficient n-octanol/water

Sodium Benzoate: Log Pow = 1.88

Bioconcentration factor (BCF)

Potassium Sorbate: BCF = 0.007 (dimensionless).

Known or predicted distribution to environmental compartments

Potassium Sorbate: High mobility in soil, indicating high potential for leaching into groundwater due to low Log K_{oc}.



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

Surface tension	Information not available
Adsorption/Desorption	Information not available
Results of PBT and VPVB Assessment	Based on the available data, the product does not contain PBT or vPvB substances in a percentage $\geq$ 0.1%.
Endocrine Disrupting Properties	Based on the available data, the product does not contain substances identified as endocrine disruptors in accordance with Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 in concentrations $\geq$ 0.1%.
Other Adverse Effects	Information not available

SECTION 13: Disposal Considerations

Product/Packaging disposal	Reuse when possible; neat cosmetic products residues are generally considered special non-hazardous waste. Disposal must be carried out by an authorized waste management company, in compliance with current national and local regulations. Contaminated packages must be delivered for reuse or disposal by an authorized waste management company.
Waste treatment-relevant information	Waste treatment must be generally performed by an authorized waste management company, in compliance with current national and local regulations.
Sewage disposal-relevant information	Waste treatment must be generally performed by an authorized waste management company, in compliance with current national and local regulations.
Other disposal recommendations	No particular information

SECTION 14: Transport Information

This section of the safety data sheet shall provide basic classification information for the transport/shipment of substances or mixtures mentioned in Section 1 by road, rail, sea, inland waterways or air. Where such information is not available or relevant this shall be stated. Where relevant, this section shall provide information on the transport classification for each of the following international agreements which are transposing the UN Model Regulations for specific transport modes: the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), the Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) and the European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN), all three of which have been implemented by Directive 2008/68/EC of the European Parliament and of the Council, as well as the International Maritime Dangerous



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

Goods (IMDG) Code for the transport of packaged goods and the relevant IMO codes for the transport of bulk cargo by sea, and the Technical Instructions for the Safe Transport of Dangerous Goods by Air (ICAO).

	US DOT	ADR	IMDG	ICAO
UN number or ID number	Not regulated	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not regulated	Not regulated	Not regulated	Not regulated
Transport hazard class	Not regulated	Not regulated	Not regulated	Not regulated
Packing group	Not regulated	Not regulated	Not regulated	Not regulated
Environmental hazards	Not regulated	Not regulated	Not regulated	Not regulated
Special Precautions for Users	Not regulated	Not regulated	Not regulated	Not regulated
Maritime Transport in Bulk	Not regulated	Not regulated	Not regulated	Not regulated

SECTION 15: Regulatory Information

Complies with Regulation (EU) 2015/830 and Regulation (EC) No 1272/2008 (CLP).

SECTION 16: Other Information

Prepared by: Sorelle

Date of Printing: 1 March 2025

ABBREVIATIONS AND ACRONYMS:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS Number: Chemical Abstract Service Number
- EC Number: The identification number in the EC Inventory of Chemicals
- CLP: EC Regulation 2008/1272
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Global Harmonised System for the classification and labelling of chemical products
- IATA DGR: Dangerous Goods Regulations for the transport of dangerous goods by the International Air Transport Association
- IC50: The Concentration 50% is a measure of the effectiveness of a substance in inhibiting a specific biological or biochemical function
- ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air
- IMDG: International Maritime Dangerous Goods Code for the transportation or shipment of dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identification number in the Annex VI of CLP
- LC50: Lethal concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- REACH: EC Regulation 2006/1907
- RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
- VOC: Volatile Organic Compound
- vPvB: very Persistent and very Bioaccumulative (REACH)



Sorelle Indústria e Comércio LTDA

Av. 24 De Outubro, 1625
Entrada, Bom Retiro, SC, 88680-000 Fone 74
3532-2342 • Website: www.sorellebrasil.com
E-mail: vendas@sorellebrasil.com

- EU Regulation 2006/1907 (REACH)
- EU Regulation 2008/1272 (CLP)
- EU Regulation 2009/790 (I CLPAtp)
- EU Regulation 2011/286 (II CLPAtp)
- EU Regulation 2012/618 (III CLPAtp)
- EU Regulation 2013/487 (IV CLPAtp)
- EU Regulation 2013/944 (V CLPAtp)
- EU Regulation 2014/605 (VI CLPAtp)
- EU Regulation 2015/1221 (VII CLPAtp)
- EU Regulation 2015/830
- EU Regulation 2016/918 (VIII CLPAtp)
- EU Regulation 2016/1179 (IX CLPAtp)
- EU Regulation 2017/776
- EU Regulation 2018/669
- EU Regulation 2018/1480
- EU Regulation 2020/1182
- EU Regulation 2021/849
- EU Regulation 2020/878 (Reach)
- Web site of ECHA Agency

Disclaimer:

The information contained herein is true and correct to the best of Sorelle's knowledge. No warranty, expressed or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.